



bom shanka machines

aardvarkkPhaser 1.0.10

Table of Contents

Installation.....	2
macOS.....	2
Windows.....	2
Registration.....	3
Using aardvarkkPhaser.....	4
Controls.....	5
Common Controls.....	6
Options menu.....	7
Support.....	7

Installation


macOS

Double click on **Setup aardvarkkPhaser 1.0.10.pkg** and follow the on-screen instructions. After clicking **Install** you will be prompted for your user password to complete the installation.

Windows

Double click on **Setup aardvarkkPhaser 1.0.10.exe**

If *Windows Defender SmartScreen* prevents the installer executable from opening, click **More Info** then click **Run anyway**




When asked by *User Account Control* if you "want to allow this app to make changes to your device?", click **Yes** then follow the on-screen instructions.

1 The image shows asimilonGate, which will be replaced by aardvarkkPhaser

Registration

After [purchasing a license](#) for aardvarkkPhaser or the Everything Bundle, please check your email for the registration keys (the email will be from FastSpring if you purchased from [bomshankamachin.es](#), please check in your Spam folder if you cannot immediately find it), you can also find your license details from the user account area of our website. After opening the plugin in your DAW, click on the **Options** menu and choose **Registration**.



The image shows a dark-themed dialog box titled "Enter license details". Below the title, it says "Please enter your license details:". There are three input fields: "Name:" with a text box, "Email:" with a text box, and "License:" with a text box. At the bottom right, there are two buttons: "Cancel" with a red 'X' icon and "OK" with a green checkmark icon.

Now enter the Name, Email and License fields exactly as shown in the email you received, finally click **OK**. Upon successful registration you will be shown a confirmation message, and the plugin will show "Registered to <your name>" on the user interface.

Using aardvarkkPhaser



aardvarkkPhaser is a classic phaser effect with up to 64 poles of super liquid sound. Controlled either by built in, tempo syncable multi-shape LFO, or manually, this is the last phaser you'll ever need.

- 4 to 64 pole stereo phaser
- 0 - 180° adjustable stereo offset
- Adjustable phase range, feedback and depth
- Tempo syncable, multi-shape LFO or manual control of phase position
- Mix amount and output gain controls

Controls

Stereo phase offset	The difference in phase between left & right channels, adjustable from 0 to 180 degrees (100%).
Feedback	The amount of feedback for the all-pass filters.
Number of poles	Adjustable between 4 and 64 all-pass filters.
Max freq	The cutoff frequency for the all-pass filters when either the LFO is at its maximum extent, or if the manual control is set to +1.0
Min freq	The cutoff frequency for the all-pass filters when either the LFO is at its minimum extent, or if the manual control is set to -1.0
Sync	Set the LFO frequency to be synced with your DAW tempo.
LFO speed	Adjust the speed of the LFO from 0 to 31.75Hz when sync is disabled, or when sync is enabled choose from 1/16th to 2 bars in 16th divisions, with triplet and dotted options.
LFO depth	Scales the depth of the LFO from -100% to +100%
LFO type	Choose the LFO shape from the available types: <ul style="list-style-type: none">• Random• Ramp (from -1 to +1, if you need a +1 to -1 ramp then adjust the LFO depth to be negative)• Square• Triangle• Sine
Manual knob	Controls the all-pass filter cutoff manually between the minimum (when the knob is at -1.0) and maximum (when the knob is at +1.0) frequencies chosen.
Manual button	Enables or disables manual mode.
Phaser depth	Control the amount of phase effect.
Mix amount	Blend the output between wet and dry signals.

Output gain

Boost or attenuate the output signal.

Common Controls

Applicable controls may be reset to their default setting by either double clicking or holding the Alt key and clicking on them. You may also get more fine grained control of any applicable control by holding down Cmd (on macOS) or Ctrl (on Windows) and dragging the control.

Options menu

UI Size	Choose between three available interface sizes.
Presets	Choose one of the available presets, or load and save your own presets. Saving your presets in the default <i>User Presets</i> folder will then be shown under the presets menu in future.
Registration	Enter your license details to register the plugin.
About...	Copyright notices and credits/thanks.

Support

If you find yourself having any problems or require further assistance there are two options available:

If you have purchased a license you are entitled to unlimited email support, please visit <https://support.bomshankamachin.es>, if you cannot find the answer to your problem there, raise a support ticket with your query and **please mention the email address you used when purchasing**, or alternatively use the support link from the user account area of our website.

If you are using the demo version please visit our support forums at <https://forum.bomshankamachin.es> and ask your question there.